
**Receiving Report** 

•	ate: 107	D-Call		Batch No: Dart P/O:	<u>/35</u>	854	2 ,
Packing Slip: Invoice:	Yes No —		Release N Waybill At		ned: Yes Yes	No No	N/A
Receipt:	Cash Cr		Shipment	Complete:	: Yes	No	N/A
New Supplier	Yes No		QC18 Insp Work Orde				N/A
Discrepancies			1 0 - 44	Our maide	Quantity	Quantity	Comment / NCR
Part Number	Description	Quantity Ordered	Quantity Rec'd	Quantity Short	Inspected	Rejected	Number
							······································
		l	1	1			
				Initials of	Receiver	QC12	P





Tel: 613 632 9577 Fax: 613 632 1053

# PURCHASE ORDER

#### Purchase Order ID PO32856

Purchase Order Date 6/28/2016 PO Print Date 6/29/2016

Page Number 1 of

Order From: AVIALL

USA

VU-AVI003

Ship To: DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

JUN 2 9 2016

Contact Name

PO BOX 842275

DALLAS, TX 75284-2275

Vendor Phone

905-676-1695

FedEx Overnight collect

Buyer

Chantal Lavoie

703-070-1075

Customer POID
Customer Tax #

Terms

10127-2607 Net 30 USD

Ship To Contact
Ship To Phone
Currency

FOB

EXW - (Ex Works)

Ship Via: Ship Acct:

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date		Req Qty/ Unit of Measure	PO Unit Pric	e Extended Price
1	600.0990	Magnabond 6398 Part A	6/30/2016 Yes 6/30/2016		1.00 Each	53	0.13 \$30.13
	600.0990		7/11/2016 7/11/2016	FN	11.00 V Each	a Dis	0.13 \$331.43
						Line Total:	\$361.56
2	600.0991	MAGNOBOND 6398 PART B	6/30/2016	FN	1.00	53(	0.13 \$30.13
			Yes 6/30/2016		Each		0.13 \$331.43
	600.0991		7/11/2016 7/11/2016	FN	11.00 M Each		9.13 \$331. <del>4</del> 3
					) ·	Ý	

PO Instructions: Fedex Acc#151793240

Note:

Sp 16-7-12.

Tel: 613 632 9577 Fax: 613 632 1053

# PURCHASE ORDER

# Purchase Order ID PO32856

Purchase Order Date 6/28/2016 PO Print Date 6/29/2016

Page Number 2 of 6

Order From:

AVIALL

PO BOX 842275

DALLAS, TX 75284-2275 **USA** 

VU-AV1003

DART AEROSPACE LTD Ship To:

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

**CANADA** 

Contact Name

Vendor Phone

905-676-1695

Buyer **Customer POID**  Chantal Lavoie

Ship To Contact

Ship To Phone

Ship Via: Ship Acct: FedEx Overnight collect

Customer Tax# Terms

10127-2607 Net 30

Currency

USD

FOB

EXW - (Ex Works)

Sealant PR1425B2 (#654

6/30/2016 FN

600.1012

8.00

\$59.03

\$472.24

\$361.56

atoH

Yes 6/30/2016

Each

Line Total:

Line Total:

\$472.24

AN3-10A

Bolt

6/30/2016 FN

100.00

\$0.10

\$10.00

Yes 6/30/2016

Each

Line Total:

\$10.00

AN3-37A

5+34A

Bolt

6/30/2016 FN Yes

30.00 Each \$0.50

\$15.00

6/30/2016

Line Total:

\$15.00

PO Instructions: Fedex Acc#151793240

Note:



Tel: 613 632 9577 Fax: 613 632 1053

# PURCHASE ORDER

# Purchase Order ID PO32856

Purchase Order Date 6/28/2016 PO Print Date 6/29/2016

Page Number 3 of 6

DART AEROSPACE LTD Ship To: VU-AVI003 Order From: 1270 ABERDEEN **AVIALL** HAWKESBURY, ON K6A 1K7 PO BOX 842275 CANADA DALLAS, TX 75284-2275 **USA** Chantal Lavoie Buyer Contact Name **Customer POID** 905-676-1695 Vendor Phone Customer Tax# 10127-2607 Net 30 Terms Ship To Contact USD Currency Ship To Phone EXW - (Ex Works) **FOB** Ship Via: FedEx Overnight collect Ship Acct: \$19.20 \$0.64 30.00 6/30/2016 **BOLT** AN4C13A Each Cheros Yes 6/30/2016 \$19.20 Line Total: \$0.25 \$12.50 50.00 6/30/2016 Bolt AN5-10A Yes Each 6/30/2016 \$12.50 Line Total: \$33.30 30.00 6/30/2016 FN AN6-36A Bolt Each Yes 6/30/2016 \$33.30 Line Total: \$33.13 \$0|33 100.00 6/30/2016 FN RIVET CR3213-4-05 ccross Yes Each 6/30/2016 16/4/4 PO Instructions: Fedex Acc#151793240 Note:

6/29/2016



Tel: 613-632-9577\_ Fax: 613 632 1053

# PURCHASE ORDER

# Purchase Order ID PO32856

Purchase Order Date 6/28/2016 PO Print Date 6/29/2016

Page Number 4 of 6

Order From:

AVIALL

PO BOX 842275

DALLAS, TX 75284-2275 **USA** 

VU-AVI003

DART AEROSPACE LTD Ship To:

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

905-676-1695

Buyer **Customer POID**  Chantal Lavoie

Customer Tax #

10127-2607

Terms Currency Net 30 USD

FOB

EXW - (Ex Works)

Ship Via: Ship Acct:

FedEx Overnight collect

Rivet, Cherry

6/30/2016 FN

100.00

Line Total:

\$33.13

10 CR3213-4-3

cctoos

Yes 6/30/2016

Each

\$0.28

\$28.23

wer wa

Nut

6/30/2016 FN Yes

1,200.00 Each Line Total:

Line Total:

\$28.23

MS21042L3

6/30/2016

\$0.14

\$168.00

12 MS21043-6

werost

NUT

6/30/2016 Yes

6/30/2016

30.00

Each

\$1,43

\$42.90

\$168.00

Line Total:

\$42.90

PO Instructions: Fedex Acc#151793240

Note:



Tel: 613 632 9577 Fax: 613 632 1053

# PURCHASE ORDER

# Purchase Order ID PO32856

Purchase Order Date 6/28/2016 PO Print Date 6/2 2016

Page Number 6 of 6

Order From:

VU-AVI003

DART AEROSPACE LTD Ship To:

**AVIALL** 

1270 ABERDEEN

PO BOX 842275

HAWKESBURY, ON K6A 1K7

**CANADA** 

DALLAS, TX 75284-2275 **USA** 

Buyer

Chantal Lavoie

Contact Name

Vendor Phone

**Customer POID** 

Ship To Contact

905-676-1695 Customer Tax #

10127-2607

Ship To Phone

Terms

Currency

**FOB** 

Net 30

Ship Via:

FedEx Overnight collect

USD

EXW - (Ex Works)

Ship Acct:

71401-45

**PROCURUREMENT** *QUALITY CLAUSES*  6/30/2016

No

1.00

\$0.00

\$0.00

Procurement Quality Clauses

6/30/2016

A005 RIGHT OF ENTRY A012 CHEMICAL AND PHYSICAL TEST REPORTS A013 SELF LIFE CONTOLLED MATERIAL 70% of self life

remaining

A015 PERSONNEL QUALIFICATION

A026 CERTIFICATION OF MATERIAL CONFORMANCE

A032 PUBLIC LAW 101-592 FASTENER QUALITY ACT

A033 STATEMENT OF CONFORMITY/TEST RECORDS

FOR NAS, AN and MS FASTENERS

A040 NOTIFICATION OF QUALITY ESCAPE

A041 QUALITY MANAGEMENT SYSTEM

A043 RETENTION OF QUALITY DOCUMENT

Line Total:

\$0.00

PO Total:

\$1,592.62

PO Instructions: Fedex Acc#151793240

2

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of pur AS9100

requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr:

Change Date:

6/29/2016

Shipper	AVIALL SERVICES INC 2750 REGENT BLVD DFW AIRPORT, TX, 7526 U.S.A.	<b>:1</b>	Air Wa	Air Waybill No. 669653800722  Page 1 of 1 Pages						
,			Shippe	er's Refere		umber 80033 tional)	11650			
Consign	nee DART AEROSPACE L' 1270 ABERDEEN STR HAWKESBURY, ON, K Canada	EET		MASTE TWARE			In re F	reated using ternational Air egulations and edEx carrier ariations.		
	npleted and signed copies of handed to the operator.	this declaration	WAR	NING						
	PORT DETAILS					all respects with the				
This ship	oment is within the as prescribed for: an-applicable) ager ager ager ager ager ager ager ager	Airport of Departure:				Regulations may be in ect to legal penalties.	breach of the	е		
			Shipm	ent type: (	delete	non-applicable)				
Airport of	Destination:		NON-I	RADIOACTIV	Æ	XXXXXXXXXXX				
NATURE	AND QUANTITY OF DANG	EROUS GOODS								
 רְ	Dangero	us Goods Identification	Class or	Pack-	   Qu	antity and type of packing	Packing	Authorization		
JN or ID No.	Proper Shipp	ing Name	Division (Subsidiary Risk)	Division ing Subsidiary Group		Inst.				
UN3267	Corrosive liquid, basic, orga piperazine)	nic, n.o.s. (aminoethyl	8	III	1 Fit	preboard Box x 1.232 L	852			
				S		P 16-	HD			
+1-703  I here accura	al Handling Information En 1-527-3887 by declare that the ately described above fied, packaged, mark	contents of this c e by the proper	onsignmen shipping	t are fu	Ily a	are Kail				
respec	ned, packaged, mark ets in proper condit ational and national go able air transport requ	ion for transport vernmental regulati	according ons. I decla	to ap	plica	ble Place and Date Da		oi6 Hewonz		



# Certificate Of Compliance

Packing Slip	ORD16259
	3/1/2016
Page	1

4360 Northeast Expressway Atlanta, GA 30340

		_			
D	34	1	т	_	٠
m	11	1	- 1	₹.	_

AVIALL SERVICES, INC. P.O. BOX 619048 DALLAS TX 75261-9048 Ship To:

AVIALL SERVICES, INC.
AVIALL CENTRAL WAREHOUSE, DALLAS CDC
2750 REGENT BLVD.
DFW AIRPORT TX 75261-9048

(972) 586-1314 Ext. 0000

\* Item Shipped Directly from Vendor

Purchase	Order No.	14	Cus	stomer ID	Salespe	rson ID	Shipping Method in	Payment Terms		Ship Date
4539162				IAL001	INSIDE SALES		SIDE SALES CEVA FRT COL NET 30 DAYS		HEATHER	5/31/2016
	Shipped	B/C	)	Item Number		D	lescription		Site	UOM
50	50		0	6398-AB/112ML			ia 6398- ab, 112ML, 2.5:		4360	EA
					Normal and a control of the control	ITEM N	7364301945	GF	IIVAS /07/16	

#### Instructions:

\*\*DO NOT MIX LOT #S\*\*
M.S.D.S. REQUIRED / DATE OF MFG:04/2016
SPEC# 299-947-100, REV P, T-II, CL-2 / SHELF LIFE: 18 MOS
FROM D.O.M. @ BELOW 40°F OR 12 MOS FROM D.O.M. @ 40-100°F
SPEC# 299-947-359, REV A, T-I / SHLF LIFE: 06 MOS FROM S.D.@
BTWN 80-100°F/09 MOS @ BTWN 60-80°F/12 MOS @ BELOW 40°F
EXPIRATION DATE: (299-947-100):04/2017; 10/2017
EXPIRATION DATE: (299-947-359):11/30/2016; 02/30/2017; 05/30/2017

Magnolia Advanced Materials, Inc.

Signed:

Greg Bunn
Technical Director

We certify that the above listed material meets the sales specifications as outlined by the manufacturing procedures of Magnolia Advanced Materials, Inc. and the above listed specification.

The materials process and formulation(s) have not been changed in any way from the original qualified material(s) without prior approval.

Unless otherwise indicated, the country of origin is the USA.

Shelf life certified and applicable on unopened, properly stored containers.



00010

# **PACKING LIST**



BACK ORDER UO

0 CQ

**DELIVERY NUMBER: 8003311650** 

ROUTE: US FedEx International Priority

PAGE:1 of 1 DATE:11JUL16 TIME:11:43:52 EMP:000Ω0000

662.86

ORD TYP: ZOR 169 **CURRENCY: USD** 

TERMS: Net 30

60.26

**CUSTOMER PO:32856 ORDER NUMBER:**1002269034 **ORDER DATE: 29JUN16** 

10003952 DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA

Ò

0

10003952 DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 **CANADA** 

0

QUANTITY

**AVIALL CENTRAL WAREHOUSE** DALLAS CDC 2750 REGENT BLVD DFW AIRPORT TX 75261

R

	M		
M		CUSTOMER PRICE	EXTENDED CUSTOMER PAIR

ADHESIVE: EPOXY, A/B, 112ML BATCH 7364301945

**MFG** 

33

Exp Date: 01NOV17

**DESCRIPTION** 

MAGN0B0ND6398 认

11

QUANTITY

Solletta

# This is not an Invoice. For payment processing, please refer to Invoice.

The recipient of these goods agrees to comply with all export regulations governing the transfer, sale, lease, or use of these goods. Diversion contrary to U.S. Law is prohibited.

CERTIFICATE OF CONFORMANCE

It is hereby certified that Aviall Services, Inc., is an approved distributor and meets all requirements of ISO9001, AS9100, AS9120 and AC 00-56 at 2750 Regent Blvd. DFW Airport, Texas. The products, articles or parts referenced on this document are in new or overhauled condition and were purchased from an approved source (FAA, EASA, TCCA, Mil Spec or Commercial). The Original Manufacturers' Certifications are maintained on file at our central office location, and copies are available upon request or at Aviall.com. For overhauled or repaired products, articles or parts, the original FAA 8130-3 / EASA Form 1 (Return to Service) or Yellow Tag, from the FAA/JAA/EASA approved Air Agency are attached to the component.

11JUL16

CUSTOMER COPY

DISCOUNT TERMS APPLY ONLY TO SUB TOTAL. ALL

RETURNED MERCHANDISE SUBJECT TO HANDLING

THE PROVISIONS OF THE FAIR LABOR ACT OF 1938

AMENDED.

THIS IS TO CERTIFY THAT AVIALL HAS COMPLIED WITH

JR Hofmann, Director, Global Quality

AV20 RS-06



# **Commercial Invoice**

1	Government Transaction Number	7
	NOEEI FTR 30.36	
	Delivery Number .	_
	8003311650	
	Commercial Invoice Number	
	9304093465	
	Ship Date	
	11 July, 2016	

AVIALL SERVICES INC 2750 REGENT BLVD DFW AIRPORT TX 75261 USA

Sold To	10003952	Ultimate Consignee	10003952	Ship To	10003952	Freight Forwarder	400010
DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA		DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA		DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA		FEDEX FEDEX NATIONAL LTL INC PO BOX 94515 PALATINE IL 60094-4515 USA Tax Number: 20-4734803	· ·

Tracking Number

EXW Shipping Point

Incoterms

Comments:

Item	Part Number & Description	Country of Origin	Quantity	иом	Unit Value USD	Extended Value USD
			(11)	CQ	60.26	( 662.86
150	MAGN0B0ND6398 - ADHESIVE: EPOXY,A/B,112ML Harmonized Tariff: 3506100000 Export Classification: EAR99 Authorization: NLRAT_JUL_2016	US		CQ	60.26	002.00
1	Sales Order: 1002269034 PO: 32856 Batch Number: 7364301945					016-7-12.
					9	•

Gross Value	662.86
Add on Charges	
Tax Value	
Freight Charges	
Total Net Value	662.86

# FOR CUSTOMS PURPOSES ONLY NOT A BILLING INVOICE

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US laws is prohibited.



# Certificate Of Compliance

Packing Slip	ORD16259		
Document Date	3/1/2016	-	
Page	1		

4360 Northeast Expressway Atlanta, GA 30340

		_	
0:	П	TA	٠

AVIALL SERVICES, INC. P.O. BOX 619048 DALLAS TX 75261-9048

Ship To:

AVIALL SERVICES, INC. AVIALL CENTRAL WAREHOUSE, DALLAS CDC 2750 REGENT BLVD. DFW AIRPORT TX 75261-9048

(972) 586-1314 Ext. 0000

* Item Shipped Directly from Vendor				<u>Livering</u>					
	Order No.		tomer ID	Salesper	son ID	Shipping Method	Payment Terms	Order Placed By	Ship Date
			AL001	INSIDE S		CEVA FRT COL	NET 30 DAYS	HEATHER	5/30/2016
45391620				- 11		scription		Site 4 P	UOM 3
50	Shipped Bi	0	6398-AB/112ML		MAGNOLIA	6398- AB, 112ML, 2.5:1, Lot # 16D13/16D13		4360	EA

Instructions:

"\*DO NOT MIX LOT #S\*\*
M.S.D.S. REQUIRED / DATE OF MFG:04/2016
SPEC# 299-947-100, REV P, T-II, CL-2 / SHELF LIFE: 18 MOS
FROM D.O.M. @ BELOW 40°F OR 12 MOS FROM D.O.M. @ 40-100°F
SPEC# 299-947-359, REV A, T-I / SHLF LIFE: 06 MOS FROM SHIP DATE@
BTWN 80-100°F/09 MOS @ BTWN 60-80°F/12 MOS @ BELOW 40°F
EXPIRATION DATE: (299-947-100):04/2017; 10/2017
EXPIRATION DATE: (299-947-359):11/30/2016; 03/01/2017; 05/30/2017

Magnolia Advanced Materials, Inc.

Signed:

Greg Bunn Technical Director

We certify that the above listed material meets the sales specifications as outlined by the manufacturing procedures of Magnolia Advanced Materials, Inc. and the above listed specification.

The materials process and formulation(s) have not been changed in any way from the original qualified material(s) without prior approval.

Unless otherwise indicated, the country of origin is the USA.

Shelf life certified and applicable on unopened, properly stored containers.



# **Safety Data Sheet**

Issuing Date 08-Oct-2015

Revision date 06-Nov-2015

Revision Number 5

#### 1. IDENTIFICATION

Product identifier

Product name

Magnobond 6398-A

Other means of identification

Product Code(s)

6398-A

**Synonyms** 

Magnolia 6398-A

Recommended use of the chemical and restrictions on use

Recommended Use

This product contains epoxy constituents that have an average molecular weight of less

than or equal to 700.

Uses advised against

No information available

Details of the supplier of the safety data sheet

Manufacturer Address Magnolia Advanced Materials 4360 NE Expressway Atlanta, GA 30344

Emergency telephone number

Company Phone Number

Emergency telephone number

(770) 451-2777

INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

Account 79439

# 2. HAZARDS IDENTIFICATION

#### Classification

**OSHA Regulatory Status** 

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization

Category 1

### Label elements

# **Emergency Overview**

#### WARNING

Hazard statements

May cause an allergic skin reaction



Appearance Gray

Physical state Paste/Gel

Odor Slight ethereal

**Precautionary Statements - Prevention** 

Avoid breathing dust/fume/gas/mist/vapors/spray
Contaminated work clothing must not be allowed out of the workplace
Wear protective gloves

IF ON SKIN: Wash with plenty of water and soap If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Causes mild skin irritation Harmful to aquatic life with long lasting effects Harmful to aquatic life

Unknown acute toxicity

55.2 % of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance Not applicable

Mixture Synonyms

Magnolia 6398-A.

Chemical Name	CAS-No	Weight %	Trade secret
Trade secret	Proprietary	30-60	*
Aluminum	7429-90-5	25-50	*
Epoxy resin	Proprietary	5-15	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

#### Description of first aid measures

General advice Remove from exposure,

Remove from exposure, lie down. If symptoms persist, call a physician. Do not get in eyes,

on skin, or on clothing, MAY CAUSE ALLERGIC SKIN REACTION.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Get medical attention immediately if symptoms

occur.

Skin contact Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. If skin irritation persists, call a physician.

Inhalation Remove from exposure, lie down. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Get

medical advice/attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, and take precautions

to protect themselves.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects No information available.

Indication of any immediate medical attention and special treatment needed

SOUTH

Note to physicians

Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

#### Specific hazards arising from the chemical

No information available.

**Explosion data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Avoid contact with skin, eyes and clothing. Wash thoroughly after handling.

Other Information

Ventilate the area.

Environmental precautions

**Environmental precautions** 

Do not allow material to contaminate ground water system. Beware of vapors accumulating

to form explosive concentrations. Vapors can accumulate in low areas.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Pick up and transfer to properly labeled containers.

### 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. In case of insufficient ventilation, wear suitable respiratory equipment. Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Keep away from open flames, hot surfaces and sources of ignition. Keep tightly closed in a

dry and cool place.

**Incompatible Products** 

None known based on information supplied.

# 8. Exposure Controls/Personal Protection

Control parameters

**Exposure Limits** 

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

 Chemical Name
 ACGIH TLV
 OSHA PEL
 NIOSH IDLH

 Aluminum
 TWA: 1 mg/m³
 TWA: 15 mg/m³
 TWA: 10 mg/m³

 7429-90-5
 TWA: 5 mg/m³
 TWA: 5 mg/m³

Appropriate engineering controls

**Engineering Controls** 

Ensure adequate ventilation, especially in confined areas.

#### Individual protection measures, such as personal protective equipment

Eye/face protection

No special protective equipment required.

Skin and body protection

No information available.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene Considerations** 

Wash hands before breaks and after work.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state

Paste/Gel

**Appearance** Color

Gray

No information available

Odor Odor threshold

Remarks/ • Method

Slight ethereal

No information available

Property

Flash point

Values\_

No information available

No information available

107.3 °C 225 °F

> 93.4 °C / > 200 °F

No information available No information available

Flammability (solid, gas)

Melting point / freezing point

Boiling Point/Range

**Evaporation Rate** 

Vapor pressure

Flammability Limit in Air

Lower Flammability Limit

**Upper Flammability Limit** 

No information available

No information available

No information available No information available

Vapor density 1.25

**Relative Density** Water solubility

Negligible

Solubility in other solvents

No information available

Partition coefficient: n-octanol/waterNo information available

Autoignition temperature Decomposition temperature No information available

Kinematic viscosity

No information available No information available

**Dynamic viscosity** 

No information available

Explosive properties

No information available

Oxidizing properties

No information available

# Other Information

Softening point Molecular weight No information available No information available

Negligible

**VOC Content** Density

**Bulk density** 

No information available

No information available

#### 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### Chemical stability

Stable under recommended storage conditions.

Children in Nichael Ma

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

Carbon oxides. Phenols, Aromatic hydrocarbons.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** 

The product has not been tested

Inhalation

There is no data available for this product.

Eye contact

There is no data available for this product.

Skin contact

There is no data available for this product.

Ingestion

There is no data available for this product.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Epoxy resin	= 11400 mg/kg (Rat)	-	-
1	j		1

#### Information on toxicological effects

**Symptoms** 

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

MUTAGENIC EFFECTS
Carcinogenicity

No information available. No information available. No information available.

Reproductive toxicity
STOT - single exposure

No information available.

STOT - repeated exposure
Aspiration hazard

No information available. No information available.

Numerical measures of toxicity - Product Information

#### The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)

63,840.00 mg/kg

#### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Harmful to aquatic life with long lasting effects

46.4 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

#### Persistence and degradability

No information available.

#### Bioaccumulation/Accumulation

No information available.

Other adverse effects

No information available

#### 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Method

Dispose of in accordance with local regulations.

Contaminated packaging

Do not reuse container.

Chemical Name	California Hazardous Waste Status
Aluminum 7429-90-5	Ignitable (powder)

### 14. TRANSPORT INFORMATION

DOT

Not regulated

**ICAO** 

UN-No **Hazard Class** Packing group

3082 9 111

**IATA** 

UN-No

3082

Proper shipping name

**Hazard Class** Packing group Environmentally hazardous substance, liquid, n.o.s. (Epoxy resin)

9 111

IMDG/IMO

UN-No

3082

Proper shipping name

Environmentally hazardous substance, liquid, n.o.s. (Epoxy resin)

**Hazard Class** Packing group 9 111

EmS No.

F-A, S-F

RID

UN-No Hazard Class Packing group Classification code 3082 9 Ш

M6

**ADR** 

UN-No 3082 **Hazard Class** 9 111 Packing group Classification code M6

# 15. REGULATORY INFORMATION

International Inventories

Complies **TSCA** DSL/NDSL Complies **EINECS/ELINCS** Complies **ENCS** Does not comply **IECSC** Complies **KECL** Complies

PICCS AICS Does not comply

Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### U.S. State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Aluminum	X	X	X
7429-90-5			

## U.S. EPA Label Information

EPA Pesticide registration number Not applicable

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA

Health hazard 2

Flammability 1

Instability 0

Physical and Chemical

Hazards -

<u>HMIS</u>

Health hazard 2

Flammability 1

Physical hazards 0

Personal precautions B

Prepared by

Magnolia Advanced Materials, Inc.

4360 NE Expressway. Atlanta, GA 30340

Issuing Date Revision date Revision note 08-Oct-2015 06-Nov-2015

No information available

**Disclaimer** 

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of MSDS** 



# **Safety Data Sheet**

Issuing Date 06-Nov-2015

Revision date 06-Nov-2015

**Revision Number 3** 

#### 1. IDENTIFICATION

Product identifier

Product name

Magnobond 6398-B

Other means of identification

Product Code(s)

6398-B

UN-No

3267

Synonyms

Magnolia 6398-B

Recommended use of the chemical and restrictions on use

Recommended Use

Amine curing agent.

Uses advised against

No information available

Details of the supplier of the safety data sheet

Manufacturer Address Magnolia Advanced Materials 4360 NE Expressway Atlanta, GA 30344

Emergency telephone number

Company Phone Number

Emergency telephone number

(770) 451-2777

INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

Account 79439

### 2. HAZARDS IDENTIFICATION

#### Classification

**OSHA Regulatory Status** 

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1B

#### Label elements

**Emergency Overview** 

## DANGER

Hazard statements

HARMFUL IF SWALLOWED

Harmful in contact with skin

Causes severe skin burns and eye damage

May cause an allergic skin reaction



Appearance Off-white to amber

Physical state Paste/Gel

Odor Amine

**Precautionary Statements - Prevention** 

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dusts or mists

Wear protective gloves/protective clothing/eye protection/face protection

Contaminated work clothing must not be allowed out of the workplace

**Precautionary Statements - Response** 

Immediately call a POISON CENTER or doctor

Specific treatment (see .? on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor

Call a POISON CENTER or doctor if you feel unwell

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Immediately call a POISON CENTER or doctor

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

Rinse mouth

Do NOT induce vomiting

# **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

Harmful to aquatic life with long lasting effects Harmful to aquatic life

Unknown acute toxicity

0.002 % of the mixture consists of ingredient(s) of unknown toxicity

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture Synonyms Formula

Magnolia 6398-B. Not Applicable-Mixture

Chemical Name	CAS-No	Weight %	Trade secret
Amine curing agent	Proprietary	30-60	*
Amine curing agent	Proprietary	15-40	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

#### Description of first aid measures

General advice

Remove from exposure, lie down. If symptoms persist, call a physician. Do not get in eyes,

on skin, or on clothing. MAY CAUSE ALLERGIC SKIN REACTION.

Eye contact

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Get medical attention immediately if symptoms

occur.

Skin contact

Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. If skin irritation persists, call a physician.

Inhalation

Remove from exposure, lie down. If symptoms persist, call a physician.

Ingestion

Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Get

medical advice/attention.

Self-protection of the first aider

Ensure that medical personnel are aware of the material(s) involved, and take precautions

to protect themselves.

# Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects

No information available.

# Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

# Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

<u>Protective equipment and precautions for firefighters</u>
As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal precautions

Avoid contact with skin, eyes and clothing. Wash thoroughly after handling.

Other Information

Ventilate the area.

Environmental precautions

**Environmental precautions** 

Do not allow material to contaminate ground water system. Beware of vapors accumulating

to form explosive concentrations. Vapors can accumulate in low areas.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Pick up and transfer to properly labeled containers.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. In case of insufficient ventilation, wear suitable respiratory equipment. Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Keep away from open flames, hot surfaces and sources of ignition. Keep tightly closed in a

dry and cool place.

Incompatible Products

None known based on information supplied.

## 8. Exposure Controls/Personal Protection

#### Control parameters

**Exposure Limits** 

This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Appropriate engineering controls

**Engineering Controls** 

Ensure adequate ventilation, especially in confined areas.

#### Individual protection measures, such as personal protective equipment

Eye/face protection

Safety glasses with side-shields.

Skin and body protection

Protective gloves.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with surrent level regulations.

provided in accordance with current local regulations.

**General Hygiene Considerations** 

Wash hands before breaks and after work.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state

Appearance Color

Off-white to amber

No information available

Odor

Odor threshold

Amine

No information available

**Property** 

Melting point / freezing point Boiling Point/Range

Flash point
Evaporation Rate

Flammability (solid, gas)
Flammability Limit in Air

Upper Flammability Limit Lower Flammability Limit Vapor pressure

Vapor density Relative Density Values

Paste/Gel

No information available 107.3 °C 225 °F > 93.4 °C / > 200 °F No information available No information available

No information available

No information available No information available No information available No information available

1.0

Remarks/ • Method

Water solubility

Negligible

Solubility in other solvents Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity **Explosive properties** 

No information available Partition coefficient: n-octanol/waterNo information available No information available No information available No information available No information available

No information available No information available

#### Other Information

Oxidizing properties

Softening point Molecular weight **VOC Content** 

No information available No information available

Negligible

Density **Bulk density**  No information available No information available

### 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions. Hygroscopic.

#### Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

#### Conditions to avoid

Heat, flames and sparks.

#### Incompatible materials

None known based on information supplied.

### Hazardous decomposition products

Carbon oxides. Nitrogen oxides (NOx). Hydrogen cyanide. Ammonia. Hazardous decomposition products formed under fire conditions.

#### 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

**Product Information** 

The product has not been tested

Inhalation

There is no data available for this product.

Eye contact

There is no data available for this product.

Skin contact

There is no data available for this product.

Ingestion

There is no data available for this product.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Amine curing agent	= 2140 µL/kg (Rat)	= 880 μL/kg(Rabbit)	•
Amine curing agent	= 4290 µL/kg (Rat) = 4290 mg/kg (Rat)	= 2500 µL/kg(Rabbit)	•

#### Information on toxicological effects

**Symptoms** 

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

# 6398-B - Magnobond 6398-B

UN-No

3267

Hazard Class

8 (Corrosive)

Packing group

IATA

UN-No

3267

Proper shipping name

CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (AMINOETHYLPIPERAZINE

SOLUTION)

**Hazard Class** 

8 (Corrosive)

Packing group Description

111 А3

IMDG/IMO

**UN-No** 

3267

Proper shipping name

CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (AMINOETHYLPIPERAZINE

SOLUTION) 8 (Corrosive)

**Hazard Class** Packing group

Ш

F-A, S-B

EmS No.

RID

**UN-No** 

3267

**Hazard Class** 

8 (Corrosive)

Packing group

111 C7

Classification code

ADR

UN-No

**Hazard Class** 

3267 8

Packing group

Ш C7

Classification code ADR/RID-Labels

8

# 15. REGULATORY INFORMATION

International Inventories

**TSCA** 

Complies Complies

DSL/NDSL

Complies

**EINECS/ELINCS** 

Does not comply

**ENCS IECSC** 

Complies

KECL

Does not comply

**PICCS** AICS

Complies Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard

No

Nη Chronic Health Hazard No Fire hazard Nο Sudden release of pressure hazard No **Reactive Hazard** 

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Amine curing agent	X	X	X

U.S. EPA Label Information

EPA Pesticide registration number Not applicable

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Physical and Chemical Instability 0

Flammability 1 NFPA\_ Health hazard 3 Hazards -Personal precautions B Flammability 1 Physical hazards 0 Health hazard 3 HMIS

Magnolia Advanced Materials, Inc. Prepared by

4360 NE Expressway. Atlanta, GA 30340

06-Nov-2015 **Issuing Date** Revision date 06-Nov-2015

**Revision note** 

No information available

Disclaimer

The Information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of MSDS**